

SMC-HK LOCAL CYLINDER MANUFACTURING PROGRAM

updated : 16-Jan-2012

SERIES	STANDARD MAXIMUM STROKE (mm)	BORE SIZE (mm)	OPTION
C55	150	20~63	XA0-30 ,XB10
C75 (air cushion)	1000	32 ~ 40	XA0-30, XB6, XC3, XC6, XC20, XC22
C75W (air cushion)	400		XA0-30, XB6, XC3, XC6, XC22
C76/C76C/C76K	1000		XA0-30, XC3
C85	1000	8 ~ 25	XA0-30, XB6, XC3, XC6, XC20, XC22
C85K	300		XA0-30, XC3
C85W	400		XA0-30, XB6, XC3, XC6, XC22
C85-S/T	150		XA0-30, XB6, XC3, XC6, XC22
C92(W)	1500	40 ~ 100	XA0-30, XB6, XC3, XC6, XC14, XC22, XC30
C95	1600	125 ~ 250	XA0-30
C(P)95	1500	32 ~ 125	XA0-30, XB6, XC6, XC14, XC30
C(P)95K	600		XA0-30, XC14, XC30
C(P)95W	400		XA0-30
C(P)96	1500	32 ~ 125	XA0-30, XC4, XC11, XC14, XC22, XC68
C(P)96K	600		XA0-30, XC14, XC68
C(P)96W	400		XA0-30, XC68
20-CA2	1500	40 ~ 100	XA0-30, XB6, XC8, XC9, XC10, XC11, XC12, XC14, XC15, XC22, XC30
CA2			XA0-30, XB5, XB6, XC3, XC4, XC5, XC6, XC8, XC9, XC10, XC11, XC12, XC14, XC15, XC22, XC27, XC30, XC58, XC59
CA2K	600	40 ~ 63	XA0-30, XC8, XC9, XC10, XC11, XC12, XC14, XC15, XC30
CA2W	700	40 ~ 100	XA0-30, XB6, XC4, XC14, XC15, XC22, XC30
CA2H, CA2Q, CA2Y	1500		XA0-30, XC8, XC9, XC10, XC11, XC12, XC14, XC15, XC30
CBA2	700		XA0-30
CA2(R/V)	1500		XA0-30, XC6
CLA/CLA2(H)/CNA2	1500		XA0-30, XC14, XC15
CPA	300	50 ~ 100	XA0-30
20-CG1	1500	20 ~ 100	XA0-30, XB6, XB9, XB13, XC6, XC8, XC9, XC10, XC11, XC12, XC13, XC20, XC22, XC37, X339
CBG1			XA0-30
CG1			XA0-30, XB6, XB9, XB13, XC4, XC6, XC8, XC9, XC10, XC11, XC12, XC13, XC20, XC22, XC29, XC37, XC35, X339
CG1H			XA0-30, XC6, XC8, X339
CG1K			600
CG1Q	1500	20 ~ 100	XA0-30, XC6, XC8, XC9, XC10, XC11, XC20, XC37, X339
CG1R	300	20 ~ 63	XA0-30, XB6, XB9, XB13, XC6, XC8, XC9, XC10, XC11, XC12, XC20, XC22, XC37, X339
CG1-S/T	200	20 ~ 40	XA0-30, XB6, XC6, XC8, XC10, XC20, XC22, XC37, X339
CG1W	1500	20 ~ 100	XA0-30, XB6, XB13, XC6, XC22, XC37, X339
CG1Y			XA0-30, XC6, XC8, XC9, XC10, XC11, XC13, XC20, XC37, X339
CG1(R/V)			XA0-30, XC6
CG5			XA0-30
CNG	800	20~40	XA0-30
CJ2, 20-CJ2	200	6 ~ 16	XA0-30, XB6, XB7, XB9, XB13, XC3, XC8, XC9, XC10, XC11, XC22 , XC51
CJ2(R)K		10 ~ 16	XA0-30, XB13, XC3, XC8, XC9, XC10, XC11
CJ2Q			XA0-30, XC3, XC8, XC9, XC10, XC11
CJ2R		XA0-30, XB6, XB7, XB9, XB13, XC8, XC9, XC10, XC11, XC22	
CJ2-S/T	150	6 ~ 16	XA0-30, XB6, XC8, XC9, XC10, XC22
CJ2W	60		XA0-30, XB6, XB9, XB13, XC22
CJ2Y	200	10~16	XA0-30, XC8, XC9, XC10, XC11
CJ2Z	200		XA0-30
CJ5	200		XA0-30

SMC-HK LOCAL CYLINDER MANUFACTURING PROGRAM

updated : 16-Jan-2012

SERIES	STANDARD MAXIMUM STROKE (mm)	BORE SIZE (mm)	OPTION	
20-CM2	1000	20 ~ 40	XA0-30, XB6, XB9, XB13, XC3, XC4, XC6, XC8, XC9, XC10, XC11, XC12, XC13, XC20, XC22, XC25	
CBM2			XA0-30	
CLM2(H)			XA0-30	
CM2			XA0-30, XB6, XB9, XB12, XB13, XC3, XC4, XC6, XC8, XC9, XC10, XC11, XC12, XC13, XC18, XC20, XC22, XC25, XC35, XC58, XC59	
CM2H			XA0-30, XC3, XC8, XC9, XC10, XC11, XC12, XC13, XC20	
CM2K			300	XA0-30, XC3, XC8, XC9, XC10, XC11, XC12, XC13, XC20, XC25
CM2Q			1000	XA0-30, XC3, XC8, XC9, XC10, XC11, XC12, XC13, XC20, XC25
CM2R/CM2R*-*A			300	XA0-30, XB6, XB9, XB13, XC3, XC4, XC6, XC8, XC9, XC10, XC11, XC12, XC13, XC20, XC22, XC25
CM2-S/T			250	XA0-30, XB6, XC3, XC4, XC6, XC13, XC22
CM2W			500	XA0-30, XB6, XB9, XB13, XC3, XC4, XC6, XC13, XC22, XC38,
CM2Y			1000	XA0-30, XC3, XC8, XC9, XC10, XC11, XC12, XC13, XC20, XC25
CM2(R/V)	1000	XA0-30, XC6		
CM	2000	30	XA0-30, XC6, XC20	
20-CQ2	300	12 ~ 100	XA0-30, XB6, XB7, XB9, XB10, XB13, XC4, XC6, XC8, XC9, XC10, XC11, XC18, XC92, X202, X203, X525, X526	
CQ2	100			
CQ2 (Long Stroke)	300	32 ~ 160	XA0-30, XB10, XC8, XC9, XC10	
CQ2, CQ2W	300	180~200	XA0-30, XB10	
CQ2H	100	12 ~ 100	XA0-30, XB10, XC6, X202, X203, X525, X526	
CQ2K		12 ~ 63	XA0-30, XB10, XC9, XC10, XC11	
CQ2-S/T	20	12 ~ 50	XA0-30, XC6, X202, X203	
CQ2W	100	12 ~ 100	XA0-30, XB6, XB7, XB9, XB10, XB13, XC6, XC22, X235, X293	
CQ2X	100	32 ~ 100	XA0-30	
CQ2Y	100	32~100	XA0-30, XC6, XB10, XC18, X202, X203, X525, X526	
CQ2*Z(R/V)	100	32~100	XA0-30, XC6	
CDQ2*S-X838	100	32 ~ 100	XA0-30	
# CDQ2-XB14	100	16 ~ 63	XA0-30	
CQM	100	16~50	XA0-30	
CQS	300	12 ~ 25	XA0-30, XB6, XB7, XB10, XB18, XC6, XC8, XC9, XC26, XC92, X271, X525, X526	
CQSK	50		XA0-30, XB10	
CQS-S/T	10		XA0-30	
CQSW	50		XA0-30, XB10, X235	
CQSX	50		XA0-30	
CQSY/CQSWY	300		XA0-30, XB10, X235	
20-CS1	1200		125 ~ 300	XA0-30, XB6, XC3, XC6, XC8, XC10, XC11, XC14, XC15, XC22, XC30
CLS		125 ~ 250	XA0-30	
CS1		125 ~ 300	XA0-30, XB6, XC3, XC4, XC6, XC8, XC10, XC11, XC14, XC15, XC22, XC30, XC35	
CS1H, CS1Q		125 ~ 160	XA0-30, XC6, XC8, XC10, XC14, XC15, XC30	
CS1W		125 ~ 300	XA0-30, XB6, XC3, XC4, XC6, XC14, XC15, XC22, XC30	
CS2		125~160	XA0-30	
CS2W				
CY1B-H	2400	6 ~ 63	XB13, X116	
CY1S-H, 20-CY1S-H	1500	6 ~ 40	XB9, XB13, X116, X168, X210, X322, X324	
CY1L	1500	6 ~ 40	XB13, X116	
CY1R15G	1300	6 ~ 63	XB13, X116	
CY3B	2100	6 ~ 63	XB13, X116, X132	
CY3R	1300	6 ~ 63	XB13, X116	
20-MB(1)	1500	32 ~ 100	XA0-30, XB6, XB13, XC3, XC4, XC6, XC8, XC9, XC10, XC11, XC12, XC14, XC22, XC30	
MB(1)			XA0-30, XB5, XB6, XB13, XC3, XC4, XC6, XC8, XC9, XC10, XC11, XC12, XC14, XC22, XC30, XC35, X846	
MB(1)K	800		XA0-30, XC3, XC8, XC9, XC10, XC11, XC12, XC14, XC30	
MB125	1500	125	XA0-30, XB6	
MB(1)Q	800	32 ~ 100	XA0-30, XC3, XC8, XC9, XC10, XC11, XC14, XC30	
MB(1)W			XA0-30, XB6, XB13, XC3, XC6, XC14, XC22, XC30	
MBB			XA0-30	
MBW125		125	XA0-30, XB6	
MNB(W)	1000	32 ~ 100	XA0-30, XC35	
MB(R/V)			XA0-30, XC6	
MB1(R/V)			XA0-30, XC6	

SMC-HK LOCAL CYLINDER MANUFACTURING PROGRAM

updated : 16-Jan-2012

SERIES	STANDARD MAXIMUM STROKE (mm)	BORE SIZE (mm)	OPTION
MGC	1000	20 ~ 50	XB6, XB13, XC3, XC6, XC8, XC9, XC22, XC37
MGG	1300	20 ~ 100	XB6, XB13, XC3, XC6, XC8, XC9, XC22, XC35, XC37
MGG(R/V)	1000	32~100	XA0-30, XC6
MY1B,20-MY1B	2000	10	XC67, X168, X416, X417
MY1B,20-MY1B		16 ~ 63	XB11 (16 ~ 32 mm only), XC67, X168, X416, X417. Refer price A for max stroke of XB11
MY1B,20-MY1B		80~100	XC67, X168, X416, X417
MY1C,20-MY1C		16 ~ 63	XC67, X168, X416, X417
MY1M,20-MY1M			XC67, X168, X416, X417
MY1M(C)W,20-MY1M(C)W			XC67, X416, X417
MY1M(C)WK			
MY3A/B			
NCA1(W)	28"	1 1/2" ~ 4"	XA0-30
NCG	12"	20 ~ 63	XA0-30, XB6, XB9, XB13, XC6, XC20, XC22
NCGK			XA0-30, XC20
NCGW			XA0-30, XB6, XB9, XB13, XC6, XC22
NCJ2	8"	6 ~ 16	XA0-30
NCJ2K		10 ~ 16	XA0-30
NCJ2Q		6 ~ 16	XA0-30
NCJ2-S/T			XA0-30
NCJ2W	2"		XA0-30
NCM	12"	3/4" ~ 1 1/2"	XA0-30
NCQ8	4"	9/16"~2-1/2"	XA0-30
RHC,20-RHC	1500	20 ~ 40	XA0-30, XC3, XC6, XC93
Production Concept Approved by SMC-Japan but Awaiting 1) Documents or 2) Sample evaluation or 3) Cylinder parts			
# CLQ	100	20 ~ 100	XA0-30
MDB-X1184	1500	40 ~ 100	XA0-30
MY3M	2000	16 ~ 63	
RQ	100	20 ~ 100	XA0-30

LOCAL CYLINDER OPTION

- YC1 - CHANGE CUSHION NEEDLE
- YC2 - AIR HYDRO CONVERTER
- YC3 - AIR TANK
- YC4 - AIR CUSHION + RUBBER CUSHION
- YC5 - WITH GUIDE (CQ2 SERIES)
- YC6 - OLD ROD COVER / NEW BARREL (CG1 SERIES)
- YC7 - NEW ROD COVER / OLD BARREL (CG1 SERIES)
- YC8A - ENLARGE ORIFICE & AIR CUSHION AT HEAD SIDE
- YC8B - ENLARGE ORIFICE & SPECIAL AIR CUSHION AT HEAD SIDE

Remark: Please consult production manager for availability before ordering.

* Update

New Series